

Voicemail Blasting User Guide

THIS WIKI HAS BEEN UPDATED FOR VERSION 13 OF YOUR PBX GUI

- Overview
- Logging in
- Adding a VMBlast Group
 - VMBlast Number
 - Group Description
 - Audio Label
 - Optional Password
 - Voicemail Box List
 - Default VMBlast Group
 - Save
- Editing / Deleting a VMBlast Group

Overview

The Voicemail Blasting module is used to assign a voicemail blast (VMBlast) number to a group of users. A user can dial this number to leave a voicemail message for the group. All members of the group will receive the message in their voicemail boxes.

Logging in

- From the top menu click **Applications**
- In the drop down click **Voicemail Blasting**

Adding a VMBlast Group

Click the **Add New VM Blast Group** button.

Voicemail Blasting

Group	Description	Default
-------	-------------	---------

+ Add VM Blast Group

Fill out the form as described below.

Voicemail Blasting: Add VMBlast Group

VMBlast Number ?	<input type="text"/>
Group Description ?	<input type="text"/> 0/35
Audio Label ?	Read Group Number
Optional Password ?	<input type="text"/>
Voicemail Box List ?	4100 (John Doe) 4101 (Jane Doe) 4102 (Susie Smith) 4103 (Sam Smith)
Default VMBlast Group ?	<input type="button" value="Yes"/> <input checked="" type="button" value="No"/>

List VM Blast Groups

VMBlast Number

Enter the number that users will dial to access the VMBlasT Group. This number must not conflict with an existing extension number.

Group Description

Provide a descriptive name for the VMBlasT Group. This is a mandatory field.

Audio Label

Select which message to play to the person leaving the voicemail.

- **Read Group Number:** The default setting. The system will read the VMBlasT group number. This can help the caller confirm they have called the proper VMBlasT group number before leaving a message.
- **Beep Only - No Confirmation** - The system will play a beep to the caller, and the caller can begin recording after the beep.


Optional Password

(Optional) Specify a numerical password to protect the VMBlasT group from accidental use.

Voicemail Box List


Click on voicemail boxes to add them to this group.

Hold down the SHIFT key and click to select multiple sequential users:



The screenshot shows a 'Voicemail Box List' window with a list of four items: '4100 (John Doe)', '4101 (Jane Doe)', '4102 (Susie Smith)', and '4103 (Sam Smith)'. The first three items are highlighted in blue, indicating they are selected. Below the list, a text prompt reads: 'Select voice mail boxes to add to this group. Use Ctrl key to select multiple.'

Hold down the CTRL or command key and click to select multiple non-sequential users:



The screenshot shows the same 'Voicemail Box List' window. In this instance, the first, second, and fourth items ('4100 (John Doe)', '4101 (Jane Doe)', and '4103 (Sam Smith)') are highlighted in blue, while the third item ('4102 (Susie Smith)') is not. Below the list, the same text prompt is visible: 'Select voice mail boxes to add to this group. Use Ctrl key to select multiple.'

Default VMBlasT Group

Yes/No: Whether to designate this VMBlasT group as the default.

Each PBX system can have a single Default Voicemail Blast Group. If you designate a new group as the default, any other group that was previously the default will no longer be the default. Extensions can be automatically added (or removed) from the default group in the Extensions (or Users) module. This prevents the need to revisit the Voicemail Blasting module each time a new extension is created.

Save

Click the **Submit** button, then click the **Apply Config** button.

Editing / Deleting a VMBlasT Group

Visit the home screen for the Voicemail Blasting module. If already viewing a VM Blast group, click the **List VM Blast Groups** button to go back to the home screen.

 List VM Blast Groups

Click the edit button  or group number to go to the group.

Voicemail Blasting

Group	Description	Default
 500	My VMblast Group	✓

+ Add VM Blast Group

To Edit: Make changes click the **Submit** button, and then click the **Apply Config** button.

To Delete: Click the delete button, click **OK** to confirm deletion, and click the **Apply Config** button.